

Scenic
Collection

SCENIC COLLECTION

Forest View | Glacier | Torrent

TUNTEX™



Scenic collection


SCENIC COLLECTION

We share a mutual and close relationship with nature. In the fast development of society, we synchronize with the earth to seek innovation for sustainable development. Inspired by the natural symbol, Scenic Collection creates a positive and comfortable atmosphere through the echo of shapes, colors, and product functions.



Scenic Collection maps ambiance symbols to the carpet design, and concretizes the vague emotions into independent and matching patterns and colors. At the moment of stepping into the space, use the rich product combination and exquisite design itself to leverage the understanding of beauty.






Serenity /

"From the unknown forest, we feel Serenity"






T72603G / T60104 / T60105 / T60106 Brick



T72604G / T60107 Brick




T67501



T72603G

Warmth /

"From the radiance of the sunlight to the warmth"







T72605G / T72606G Brick



T72604G / T67502 Brick



Fluidity

"From the fluidity of the water to the form of contours"







T72601G / T72602G Ashlar



T72601G / T60107 Brick

T72604G

Minimalistic

"Minimalistic for the modern workspace"








T72604G Brick



T72603G / T72604G Brick




T72601G



T72602G


Vibrancy

"Vibrancy abounds in the canyon"



T726G Forest View

Construction	Multi Hi / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon featured with aircell
Dye Method	Solution Dyed
Gauge	1 / 10G
Pile Height	9.0 - 5.0mm
Total Thickness	8.5mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 6500g / m ²
Secondary Back	TUNTEX Duraback
Odor Reducer	Ecofresh Treatment: ECOFRESH™
Anti-microbial	Microshield Treatment: MICROSHIELD™



T72601G
Silver Birch



T72603G
White Oak



T72605G
Sprucewood



T72602G
Blue Mahoe



T72604G
Yellowheart



T72606G
Osage Orange

T601 Torrent

Construction	High Cut Low Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon
Dye Method	Solution Dyed
Gauge	1 / 10G
Pile Height	8.0 / 5.0mm
Total Thickness	9.5mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 5300g / m ²
Secondary Back	TUNTEX Duraback

T675 Glacier

Construction	Hi / Mid / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon featured with quartz and aircell
Dye Method	Solution Dyed
Gauge	1 / 12G
Pile Height	6.0 / 5.0 / 3.5mm
Total Thickness	7.2mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 4950g / m ²
Secondary Back	TUNTEX Duraback

Dye Method:	Solution Dyed
Tile size:	500mm x 500mm
Stain Resistance:	Stainshield Treatment: STAINSHIELD™
Soil Resistance:	Soil Guard Treatment: SOILGUARD™
Wear Warranty:	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness:	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity:	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability:	Warranted not to change in size by more than 1.0 mm in normal use. Will not dome or dish in normal use.
Installation :	Releasable adhesive Recommended.
Sustainability:	ISO 9001 Quality Management System. ISO14001 Environmental Management System. ISO 45001 Healthy & Safety Management System.



