

Granite

T665



TUNTEX™

Granite

T665 Granite reshapes the texture of such stone and imbues a sense of calmness through its natural elements.





T66503 / T66509 **Brick**



T66502 **Quarter-Turn**





T66504 Ashlar



T66504 / T66505 Brick



T66508 Ashlar



T66504 / T66507 Quarter-Turn



T66501 Ashlar



T66505 / T66510 Quarter-Turn



T66507 Quarter-Turn




T66501 Greige




T66502 Sand




T66503 Taupe




T66506 Shadow




T66504 Coin




T66507 Charcoal




T66505 Fossil



T66508 Walnut



T66509 Denim



T66510 Wine

Style	T665 "Granite"
Construction	Multi Hi / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon
Dye Method	Solution Dyed
Gauge	1 / 10G
Pile Height	5.5 - 3.0mm
Total Thickness	7.2mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 5000g/m ²
Secondary Back	TUNTEX Duraback
Stain Resistance	Stainshield Treatment: STAIN SHIELD™
Soil Resistance	Soil Guard Treatment: SOIL GUARD™

Wear Warranty	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability	Warranted not to change in size by more than 0.5 mm in normal use. Will not dome or dish in normal use.
Installation	Tackifier or Releasable adhesive Recommended.
Sustainability	All yarns used are Solution dyed to minimise use of water and exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD) Third Party verified by U.S. GreenCircle Certified.

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test.
Flammability: Passes (ASTM E648)
Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test.
Static Propensity: ≤ 2.0 KV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.



