





Color Zip

T801

TUNTEX™

Color Zip

T801 Color Zip uses bold and vibrant colors to create a unique and energetic atmosphere. Whether it's a commercial or public setting, T801 Color Zip can make space more vibrant and exciting.





T80107 Herringbone




T80101 / T80103 Ashlar





T80110 Ashlar



T80102 / T80104 / T80108 / T80110 Ashlar





T80110 Herringbone




T80101 Cloud



T80102 Coin




T80103 Ash




T80104 Pewter




T80106 Charcoal



T80107 Fossil Colored



T80108 Slate Colored



T80110 Shadow Colored

Style	T801 "Color Zip"
Construction	Multi Hi / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon
Dye Method	Solution Dyed
Gauge	1 / 12G
Pile Height	6.0 - 3.0mm
Total Thickness	7.2mm(±0.5mm)
Tile size	250mm x 1000mm
Total Weight	Approx. 4950g / m ²
Secondary Back	TUNTEX Duraback
Stain Resistance	Stainshield Treatment: STAINSHIELD™
Soil Resistance	Soil Guard Treatment: SOILGUARD™

Wear Warranty	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability	Warranted not to change in size by more than 0.5 mm in normal use. Will not dome or dish in normal use.
Installation	Tackifier or Releasable adhesive Recommended.
Sustainability	All yarns used are Solution dyed to minimise use of water and exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD) Third Party verified by U.S. GreenCircle Certified.

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test.
Flammability: Passes (ASTM E648)
Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test.
Static Propensity: ≤ 2.0 KV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.



