




Mist

The clouds hide the mountains. The air is fresh with cold vapor. Inspired by the clouds and mists in the mountains, T805 creates a realm of tranquility.





T80507 / T80508 Ashlar



T80504 / T80508 Ashlar



T80501 Herringbone



T80503 / T80504 Ashlar



T80501 / T80504 / T80509 Ashlar





T80509 Ashlar



T80508 Herringbone







T80501 / T80503 Ashlar




T80501 Tortilla



T80502 Wood




T80503 Cedar




T80504 Fossil



T80505 Ash



T80506 Iron



T80507 Fog



T80508 Sage



T80509 Spruce

Style	T805 "Mist"
Construction	Multi Hi / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon
Dye Method	Solution Dyed
Gauge	1 / 12G
Pile Height	5.0 - 3.0mm
Total Thickness	6.8mm(±0.5mm)
Tile size	250mm x 1000mm
Total Weight	Approx. 4850g / m ²
Secondary Back	TUNTEX Duraback
Stain Resistance	Stainshield Treatment: STAINSHIELD™
Soil Resistance	Soil Guard Treatment: SOILGUARD™

Wear Warranty	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability	Warranted not to change in size by more than 0.5 mm in normal use. Will not dome or dish in normal use.
Installation	Tackifier or Releasable adhesive Recommended.
Sustainability	All yarns used are Solution dyed to minimise use of water and exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD) Third Party verified by U.S. GreenCircle Certified.

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test.
Flammability: Passes (ASTM E648)
Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test.
Static Propensity: ≤ 2.0 KV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.

