



Tree Walk

T857

TUNTEX™

Immersive

T857 Tree Walk encounters the experience and feeling of walking among trees. Lasting and comfort tonality can easily match with neighborhood contexts.





Haunting

When going straight into the forest, there is a peaceful heaven to discover. It is a place where you can be open to the natural beauty, and embrace yourself with forest plants and unknown natives.







T85710 / T85712 Ashlar



T85720 / T85731 Herringbone



T85710 / T85712 Ashlar




T85710 Cloud




T85711 Coin



T85712 Sky



T85720 Anchor



T85721 Aegean



T85730 Fossil



T85731 Spruce

Style	T857 "Tree Walk"
Construction	Multi Hi / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon featured with aircell
Dye Method	Solution Dyed
Gauge	1 / 12G
Pile Height	6.0 ~ 4.0mm
Total Thickness	7.0mm(±0.5mm)
Tile size	250mm x 1000mm
Total Weight	Approx. 5000g / m ²
Secondary Back	TUNTEX Duraback
Stain Resistance	Stainshield Treatment: STAIN SHIELD™
Soil Resistance	Soil Guard Treatment: SOIL GUARD™

Wear Warranty	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability	Warranted not to change in size by more than 0.5 mm in normal use. Will not dome or dish in normal use.
Installation	Tackifier or Releasable adhesive Recommended.
Sustainability	All yarns used are Solution dyed to minimise use of water and exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD) Third Party verified by U.S. GreenCircle Certified.

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test.
Flammability: Passes (ASTM E648)
Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test.
Static Propensity: ≤ 2.0 KV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.



