Sandscape
T819

TUNTEX™

Sandscape

The inspiration for T819 Sandscape comes from the expansive undulations of desert landscapes, blending soothing earth tones with intricate textures.

T81902 / T81904 **Herringbone**

It reinterprets the timeless allure of the desert, capturing its vast and serene atmosphere into indoor spaces. With each step, you'll be immersed in the boundless splendor of the sandscape, experiencing the perfect harmony of artistry and comfort.

T81902 / T81903 **Ashlar**

T81901 / T81902 Ashlar

T81901 / T81902 Basketweave

T81901 Cloud

T81902 Oat

T81903 Sandcastle

T81904 Coffee

T81905 Carrot

Style	T819 "Sandscape"
Construction	Hi / Mid / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon featured with quartz
Dye Method	Solution Dyed
Gauge	1 / 12G
Pile Height	4.5 / 4.2 / 3.5mm
Total Thickness	7.2mm(±0.5mm)
Tile size	250mm x 1000mm
Total Weight	Approx. 5000g/m^2
Secondary Back	TUNTEX Duraback
Stain Resistance	Stainshield Treatment: **STAIN**SHIELD™
Soil Resistance	Soil Guard Treatment: **SOIL**GUARD™

Wear Warranty	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability	Warranted not to change in size by more than 0.5 mm in normal use. Will not dome or dish in normal use.
Installation	Tackifier or Releasable adhesive Recommended.
Sustainability	All yarns used are Solution dyed to minimise use of water and exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD).

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test.
Flammability: Passes (ASTM E648)
Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test.
Static Propensity: ≤ 2.0 KV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.

T81903 / T81905 **Herringbone**