



Scenic
Collection

SCENIC COLLECTION

Forest View | Glacier | Torrent

TUNTEX™



Scenic collection


SCENIC COLLECTION

We share a mutual and close relationship with nature. In the fast development of society, we synchronize with the earth to seek innovation for sustainable development. Inspired by the natural symbol, Scenic Collection creates a positive and comfortable atmosphere through the echo of shapes, colors, and product functions.



Scenic Collection maps ambiance symbols to the carpet design, and concretizes the vague emotions into independent and matching patterns and colors. At the moment of stepping into the space, use the rich product combination and exquisite design itself to leverage the understanding of beauty.





T72604

Serenity /

"From the unknown forest, we feel Serenity"






T72603 / T60104 / T60105 / T60106 Brick



T72604 / T60107 Brick



T67501



T72603

Warmth /

"From the radiance of the sunlight to the warmth"









T72605 / T72606 Brick



T72604 / T67502 Brick



Fluidity

"From the fluidity of the water to the form of contours"







T72601 / T72602 Ashlar



T72601 / T60107 Brick

T72604

Minimalistic

"Minimalistic for the modern workspace"








T72604 Brick



T72603 / T72604 Brick



Vibrancy


"Vibrancy abounds in the canyon"






T726 Forest View


Construction	Multi Hi / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon featured with aircell
Dye Method	Solution Dyed
Gauge	1/10 G
Pile Height	9.0 - 5.0 mm
Total Thickness	9.4 mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 6500 g/m ²
Secondary Back	TUNTEX Duraback
Odor Reducer	Ecofresh Treatment: ECOFRESH™
Anti-microbial	Microshield Treatment: MICROSHIELD™



T72601
Silver Birch




T72603
White Oak




T72605
Sprucewood



T72602
Blue Mahoe



T72604
Yellowheart



T72606
Osage Orange

T601 Torrent

Construction	High Cut Low Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon
Dye Method	Solution Dyed
Gauge	1/10 G
Pile Height	8.0 / 5.0 mm
Total Thickness	9.5 mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 5300 g/m ²
Secondary Back	TUNTEX Duraback

T675 Glacier

Construction	Hi / Mid / Lo Loop
Pile Fibre	nexlon™ Premium Solution Dyed Nylon featured with quartz and aircell
Dye Method	Solution Dyed
Gauge	1/12 G
Pile Height	6.0 / 5.0 / 3.5 mm
Total Thickness	7.2 mm(±0.5mm)
Tile size	500mm x 500mm
Total Weight	Approx. 4950 g/m ²
Secondary Back	TUNTEX Duraback

Dye Method:	Solution Dyed
Tile size:	500mm x 500mm
Stain Resistance:	Stainshield Treatment: STAINSHIELD™
Soil Resistance:	Soil Guard Treatment: SOILGUARD™
Wear Warranty:	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness:	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity:	Permanent Lifetime Protection - less than 2.0 KV.
Dimensional Stability:	Warranted not to change in size by more than 1.0 mm in normal use. Will not dome or dish in normal use.
Installation :	Releasable adhesive Recommended.
Sustainability:	ISO 9001 Quality Management System. ISO14001 Environmental Management System. ISO 45001 Healthy & Safety Management System.



