



## LA07 Autumn Peak



When the gentle breeze blows and the sunlight filters through, the scene is filled with a captivating autumn panorama where golden yellows, vivid oranges, and deep browns intertwine. This feast of colors is nature's celebration of life.

LA07 Autumn Peak features 12 distinct paintings that capture the radiance of autumn. The leaves display a kaleidoscope of color as they transform over time, creating a serene and magnificent world.





Featuring the innovative LuxCushion™ backing to bring ultimate comfort and elevate the indoor experience.



LA0706 **Ashlar** 






















## T677 Lake Hues





With T677 Lake Hues as the focal point, the breathtaking beauty of the natural world unfolds, transitioning from the deep, cerulean blue of the water to the gentle, turquoise ripples, and finally to the radiant golden hues of the setting sun, painting the sky with a mesmerizing display of colors.


The tranquil, shimmering waves of the lake reflect a myriad of colors from the clear blue sky above. Nestled in the embrace of nature, one can't help but feel a profound sense of peace and awe at the vastness of the world around them.


















T67707 / T67710 Ashlar

T67708 / T67709 Quarter-Turn










## **Design Combinations**

## LA07&T677

LA07 may be used in conjunction with T677 for the same project:
We recommend using T677 to cover large and open areas while placing LA07 in smaller rooms.












LA0706 / T67702 Mix





Style LA07 "Autumn Peak" Construction Multi Hi / Lo Loop

Pile Fibre nexlon<sup>™</sup> Premium Solution Dyed Nylon

**Dye Method** Solution Dyed Gauge 1 / 10G Pile Height 7.5 - 3.0mm **Total Thickness** 12.0mm(±0.5mm) Tile size 500mm x 1000mm **Total Weight** Approx. 3500g/m<sup>2</sup> **Secondary Back LUX**CUSHION™

Stainshield Treatment: STAINSHIELD™ **Stain Resistance Soil Resistance** Soil Guard Treatment: SOILGUARD™ Ecofresh Treatment: ECOFRESH\*\* **Odor Reducer Anti-microbial** Microshield Treatment: MICROSHIELD"
























T677 "Lake Hues" Style Multi Hi / Lo Loop Construction

Pile Fibre nexlon<sup>™</sup> Premium Solution Dyed Nylon featured with aircell

Solution Dyed **Dye Method** 1 / 12G Gauge 5.2 - 3.0mm **Pile Height Total Thickness** 7.2mm(±0.5mm) Tile size 500mm x 500mm **Total Weight** Approx. 4950g/m<sup>2</sup> TUNTEX Duraback **Secondary Back** 

**Stain Resistance** Stainshield Treatment: STAINSHIELD™ **Soil Resistance** Soil Guard Treatment: SOILGUARD™

Product is warranted not to lose more than 10% pile fibre by **Wear Warranty** 

weight in normal commercial use within 15 years.

Warranted not to change in size by more than 0.5 mm in normal

15 Year Warranty AATCC 16. Grade 4 - Little or no change. **Colour Fastness** 

Static Electricity Permanent Lifetime Protection - less than 2.0 KV.

use. Will not dome or dish in normal use.

Installation Tackifier or Releasable adhesive Recommended.

All yarns used are Solution dyed to minimise use of water and Sustainability

exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD).

**Dimensional Stability** 

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test. Flammability: Passes (ASTM E648) Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test. Static Propensity: ≤ 2.0 KV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.















