



Drizzle T825

Colorfall T826

Afterglow T829

After-Rain Collection

TUNTEX™

After-Rain Collection

T825 & T826 & T829
product insight

After-Rain Collection captures the atmospheric clarity of post-rain light. By pairing a palette of balanced neutrals with muted warm, this collection introduces a rhythmic color logic to the interior landscape. Three distinct styles are engineered for functional versatility across open, transitional, and private zones, providing seamless spatial navigation through a unified aesthetic language.





T82914 Ashlar



T82923 Herringbone



T82913 / T82923 Ashlar



T82511 / T82623 / T82633 Ashlar





T82512 / T82522 Ashlar



T82511 / T82521 / T82531 Ashlar





T82531 / T82532 Ashlar



T82530 Ashlar





T82510 / T82612 Ashlar



T82901 / T82912 / T82922 Ashlar





T82521 / T82611 Ashlar



T82611 / T82911 Ashlar




T82614 / T82921 / T82924 Ashlar



T82614 / T82624 / T82634 Ashlar



T82624 / T82903 / T82924 Ashlar



T82631 Ashlar





T82914 / T82924 Ashlar



T82914 Ashlar






T82914 Ashlar



T82520 / T82614 Ashlar



T82623 / T82914 Herringbone



T82913 / T82932 Ashlar



T82510
Cloud

T82511
Cloud
Green

T82512
Cloud
Orange

T82520
Fossil

T82521
Fossil
Sky

T82522
Fossil
Orange

T82530
Iron

T82531
Iron
Blue

T82532
Iron
Red

T82611
Blue

T82612
Sky

T82613
Olive

T82614
Latte

T82621
Lapis

T82622
Teal

T82623
Sage

T82624
Carrot

T82631
Denim

T82632
Ocean

T82633
Seaweed

T82634
Clay

T82911
Blue
Peak

T82912
Sky
Peak

T82913
Olive
Peak

T82914
Latte
Peak

T82921
Lapis
Peak

T82922
Teal
Peak

T82923
Sage
Peak

T82924
Carrot
Peak

T82931
Denim
Peak

T82932
Ocean
Peak

T82933
Seaweed
Peak

T82934
Clay
Peak

T82901
Coin

T82902
Ash

T82903
Shadow

Style	T825 "Drizzle" T826 "Colorfall" T829 "Afterglow"
Construction	Hi / Mid / Lo Loop
Pile Fibre	T825 - nexlon™ Premium Solution Dyed Nylon featured with quartz. T826 / T829 - nexlon™ Premium Solution Dyed Nylon featured with quartz and aircell.
Dye Method	Solution Dyed
Gauge	T825 / T826 - 1/12 G T829 - 1/10 G
Pile Height	T825 - 5.5/4.5/3.0 mm T826 - 7.0/5.0/3.0 mm T829 - 8.0/5.0/3.5 mm
Total Thickness	T825 - 7.0 mm (±0.5 mm) T826 - 7.8 mm (±0.5 mm) T829 - 8.2 mm (±0.5 mm)
Tile size	250 mm × 1000 mm
Total Weight	T825 - Approx. 4950 g/m ² T826 / T829 - Approx. 5000 g/m ²
Secondary Back	TUNTEX Duraback
Stain Resistance	Stainshield Treatment: STAIN SHIELD™
Soil Resistance	Soil Guard Treatment: SOIL GUARD™
Wear Warranty	Product is warranted not to lose more than 10% pile fibre by weight in normal commercial use within 15 years.
Colour Fastness	15 Year Warranty AATCC 16. Grade 4 - Little or no change.
Static Electricity	Permanent Lifetime Protection - less than 2.0 kV.
Dimensional Stability	Warranted not to change in size by more than 0.5 mm in normal use. Will not dome or dish in normal use.
Installation	Tackifier or Releasable adhesive Recommended.
Sustainability	All yarns used are Solution dyed to minimise use of water and exclude any effluent production. ISO 14001 and ISO 9001.

Health Product Declaration (HPD) Third Party verified by U.S. GreenCircle Certified.

U.S. CRI Green Label Plus Certificate.

Singapore Green Building Council Product Certificate - 4 Ticks "Leader".

Passes ASTM Flammability Test.
Flammability: Passes (ASTM E648)
Smoke Density: Passes (ASTM E662)

Passes AATCC Static Propensity Test.
Static Propensity: ≤ 2.0 kV (AATCC 134)

Passes the Quality Test of China National Carpet Quality Test Center.

Passes the Flammability Test and Environmental Protection Test of the China National Fire and Construction Quality Surveillance Center.

ISO 9001 Quality Management System.

ISO 14001 Environmental Management System.

ISO 45001 Healthy & Safety Management System.



